

Substitute for Form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)



Complete if Known	
Application Number	09/895,787
Filing Date	06/30/2001
First Named Inventor:	Emir Gurer
Art Unit	1752
Examiner Name	Gilliam, Barbara Lee
Attorney Docket Number	6601P019X3

She

1

of 3

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
		Country Code ² Number ³ Kind Code ⁴ (if known)				
B61	JP 3-22428 A		01-30-1991	NEC Kyushu Ltd.		X
B61	JP 4-332116 A		11-19-1992	Mitsubishi Electric Corp.		X
B61	JP 5-168715 A		07-02-1996	Dainippon Screen Mfg. Co. Ltd.		X
B61	JP 63-301520 A		12-08-1988	NEC Corp.		X

**Examiner
Signature**

Barbara Gilliam

Date Considered

whol04

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ***Applicant's unique citation designation number (optional).** See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ***Enter Office that issued the document, by the two-letter code (WIPO Standard ST.).** For Japanese patent documents, the indication of the year of reign of the Emperor must precede the serial number of the patent document. ***Kind of document**, by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ***Applicant** is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Substitute for Form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known

Application Number	09/895,787
Filing Date	06/30/2001
First Named Inventor:	Emir Gurer
Art Unit	1752
Examiner Name	Gilliam, Barbara Lee

Sheet

2

of 3

Attorney Docket Number

6601P019X3

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ²
SJ		BAGEN, SUSAN, ET AL., Extrusion Coating of Polymer Films for Low-Cost Flat Panel Display Manufacturing, 1996 Display Manufacturing Technology Conference, Digest of Technical Papers, pgs. 35-36 (1996).	
		BIXLER, NATHAN EPHRAIM, Stability Of A Coating Flow, PhD Dissertation submitted to the University of Minnesota, June 1982.	
		BORNSIDE, DAVID, E., ET AL., The effects of gas phase convection on mass transfer in spin coating, Journal of Applied Physics, Vol. 73, No. 2, January 15, 1993, pgs. 585-600, © 1993 American Institute of Physics.	
		BORNSIDE, D.E., ET AL., On the Modeling of Spin Coating, Journal of Imaging Technology, Volume 13, Number 4, August 1987, pgs. 122-130, © 1987, SPSE - The Society for Imaging Science and Technology.	
		COHEN, ET AL., Modern Coating And Drying Technology, Chapter 4, Premetered Coating, pgs. 117-167, VCH Publishers, Inc. (1992).	
		EMSLIE, ALFRED G., ET AL., Flow of a Viscous Liquid on a Rotating Disk, Journal Of Applied Physics, Vol. 29, No. 5, May 1958, pgs. 858-862.	
		FRAYSSSE, NATHALIE, ET AL., An experimental study of rivulet instabilities in centrifugal spin coating of viscous Newtonian and non-Newtonian fluids, Physics of Fluids, Vol. 6, No. 4, April 1994, pgs. 1491-1504, © 1994 American Institute of Physics.	
		GUTOFF, EDGAR B., ET AL., Coating and Drying Defects, Troubleshooting Operating Problems, Chapter V, pgs. 96-138, A Wiley-Interscience Publication, John Wiley & Sons, New York Chichester Brisbane Toronto Singapore (1992).	
		GUTOFF, EDGAR B., Simplified Design of Coating Die Internals, Journal Of Imaging Science And Technology, Volume 37, Number 6, November/December 1993, pgs. 615-627, © 1993, I S & T - The Society for Imaging Science and Technology.	
		HAFIZI, B., Effects of carrier and dispersion on propagation of a directed electromagnetic pulse, Journal of Applied Physics, Vol. 73, No. 2, January 15, 1993, pgs. 513-521, © 1993 American Institute of Physics.	
↓		HIGGINS, B.G., ET AL., Capillary Pressure And Viscous Pressure Drop Set Bounds On Coating Bead Operability, Chemical Engineering Science, Vol. 35, pgs. 673-682, Pergamon Press Ltd. 1980, Printed in Great Britain.	

Examiner Signature

S. L. Gilliam

Date Considered

6/10/04

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Substitute for Form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet

3

of 3

Complete if Known

Application Number	09/895,787
Filing Date	06/30/2001
First Named Inventor:	Emir Gurer
Art Unit	1752
Examiner Name	Gilliam, Barbara Lee
Attorney Docket Number	6601P019X3



NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
ZL		LAWRENCE, C.J., The mechanics of spin coating of polymer films, Physics of Fluids, Vol. 31, No. 10, October 1988, pgs. 2786-2795, © 1988 American Institute of Physics.	
		LEE, KWONG-YANG, ET AL., Minimum Wet Thickness In Extrusion Slot Coating, Chemical Engineering Science, Vol. 47, No. 7, pgs. 1703-1713, © 1992 Pergamon Press plc, Printed in Great Britain.	
		MEYERHOFER, DIETRICH, Characteristics of resist films produced by spinning, Journal of Applied Physics, Vol. 49, No. 7, July 1978, pgs. 3993-3997, © 1978 American Institute of Physics.	
		MUES, W., ET AL., Observation of a Dynamic Wetting Process Using Laser-Dopper Velocimetry, AIChE Journal, Vol. 35, No. 9, September 1989, pgs. 1521-1526.	
		RUSCHAK, KENNETH J., Limiting Flow In A Pre-Metered Coating Device, Chemical Engineering Science, 1976, Vol. 31, pgs. 1057-1060, Pergamon Press. Printed in Great Britain.	
		SUKANEK, PETER C., Spin Coating, Journal of Imaging Technology, Volume 11, Number 4, August 1985, pgs. 184-190, © 1985, Society of Photographic Scientists and Engineers.	
↓		SARTOR, LUIGI, Slot coating: Fluid mechanics And die design, PhD Dissertation submitted to the University of Minnesota, September 1990.	

Examiner Signature

Barbara L. Gilliam

Date Considered

4/10/04

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.*	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T*
		Country Code* Number* Kind Code* (if known)				
BB		JP 05-021306	01-29-1993	Cannon Sales Co Inc.		
		JP 02-098126	04-10-1990	Oki Electric Ind Co Ltd		
		JP 04-361524	12-15-1992	Toshiba Corp		
		JP 61-02925	06-14-1984	Toyoda Autom Loom Works Ltd		
		JP 63-032921	02-12-1988	Daikin Ind Ltd		

Examiner Signature	8.1. Gooch	Date Considered	10/10/05
-----------------------	------------	-----------------	----------

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ***Applicant's unique citation designation number (optional).** ***See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04.** ***Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).** ***For Japanese patent documents, the indication of the year of reign of the Emperor must precede the serial number of the patent document.** ***Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible.** ***Applicant is to place a check mark here if English language translation is attached.**

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.*	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T*
		Country Code* Number* Kind Code* (if known)				
24		JP 05-166712	07-02-1993	Dainippon Screen Mfg Co Ltd		
24		JP 62-225269	10-03-1987	Hitachi Ltd Hitachi Tobu, Semiconductor Ltd		
25		JP 05-141058	06-08-1993	Sekisui Chem Co Ltd		

Examiner Signature	S. C. Gilliam	Date Considered	10/11/05
-----------------------	---------------	-----------------	----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.87 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Substitute for Form 1449/PTO				<i>Complete if Known</i>		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT <small>(use as many sheets as necessary)</small>				Application Number	09/895,787	
				Filing Date	June 30, 2001	
				First Named Inventor:	Gurer Emir	
				Art Unit	1752	
				Examiner Name	Gilliam, Barbara Lee	
Sheet 3 of 4				Attorney Docket Number	006601.P019X3	
NON PATENT LITERATURE DOCUMENTS						
Examiner Initials*	Cite No ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published				
		J. VAN SCHOOT et al., "The Mask Error: Causes and Implications for Process Latitude" (Part of the SPIE Conference on Optical Microlithography XII), March 1999, p. 250-260, SPIE Volume 3679, Santa Clara, CA.				
			F.M. SCHELLENBERG et al., "Impact of Mask Error on Full Chip Error Budgets"; (Part of the SPIE Conference on Optical Microlithography XII), March 1999, p. 261-275, SPIE Volume 3679, Santa Clara, CA.			
			M.S. KRISHNA et al., "Characterization of Advanced DUV PhotoResists", (Part of the SPIE Conference on Advances in Resist Technology and Processing XVI), March 1999, p. 607-614, SPIE Volume 3678, Santa Clara, CA.			
			J. LEWELLEN et al., "Effect of PEB Temperature Profile on CD and DUV Resists", (Part of the SPIE Conference on Process, Equipment, and Materials Control in Integrated Circuit Manufacturing V), March 1999, p. 45-54, SPIE Volume 3882, Santa Clara, CA.			
			D.E. BURNSIDE et al., "Spin Coating: One-dimensional mode", J. Appl. Phys. 66(11), December 1989, p. 5185-5183, American Institute of Physics.			
			R. KOBAYASHI et al., "Contributed Papers – Spiral Vortices in boundary Layer Transition Regime on a Rotating Disk" Acta Mechanica, 1980, p. 35, 71-82 (14 pages total), Volume 35/1-2, Springer-Verlag, Wien, New York.			
			R.M. CROWELL, "Determining Photoresist Coat Sensitivities of 300 mm Wafers", February 1998, p. 414-419 (7 pages total) SPIE Volume 3331, Santa Clara, CA.			
			B. LOREFICE et al., "How to Minimize Resist Usage During Spin Coating", Semiconductor International, June 1998, p. 178-190 (14 pages total), Volume 21, Number 6.			
			L. PETERS, "Solving the Integration Challenges of Low-K Dielectrics", November 1999, p. 56-64 (11 pages total), Semiconductor International, Volume 22, Number 13.			
			D.E. BURNSIDE, "Spin Coating", August 1988, (201 pages total), Ph.D. Thesis, University of Minnesota.			
		J. DERKSEN, "A New Coating Method for Semiconductor Lithography: Fluid Layer Overlap In Extrusion-Spin Coating", June 1997, (67 pages total), Massachusetts Institute of Technology.				

Examiner Signature	B. L. Gilliam	Date Considered	10/1/05
--------------------	---------------	-----------------	---------

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English Translation is attached.
 This collection of information is required by 37 CFR 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.
 If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Examiner Signature	S. L. Gilliam	Date Considered	10/11/05
--------------------	---------------	-----------------	----------

**Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.*

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English Translation is attached.
This collection of information is required by 37 CFR 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.